

COMMERCIAL

SCANSTRUT[®]

THE COMMERCIAL COLLECTION

outdoor • technologies



Design



Innovation




Partner



Quality



Sustainability



The Story (So Far)

Scanstrut is a global leader in outdoor equipment design, pioneering cutting-edge outdoor technologies for over 40 years. Founded with a passion for enabling adventure, Scanstrut has grown into a globally recognized brand known for its quality, reliability, and innovation.

With a diverse product range, Scanstrut enhances the use of electronics, charging, and mounting systems in the most extreme outdoor conditions.

Scanstrut products are organized into four core categories: Mount, Charge, Air, and Seal. Proudly independent, Scanstrut operates from headquarters in both the UK and the USA.

Every innovation is born in-house, driven by a talented design and engineering team who carry ideas from concept to production. Scanstrut ensures that every product meets the highest standards and is trusted by customers in the toughest environments.



CABLE SEALS



Scanstrut cable seals provide a **100% watertight installation** without the need for messy sealants. Designed to eliminate time-consuming, substandard cable routing, this IP68 waterproof range ensures reliable performance – perfect for solar panels, light bars, and other electronics. Available in grey or black high-impact UV-stable plastic, anodized aluminum, or 316 stainless steel, these easy-fit cable seals reduce installation time and feature captive fastenings for straightforward assembly and reliable repeat installations.

Horizontal Cable Seals

Horizontal cable seals eliminate time-consuming, sub-standard routing of cables and messy sealant to achieve a 100% watertight installation for your cables every time. Designed to fit a large range of cables, available in a single or double seal option.

Available in:



100% watertight



Easy fit cable routing



No messy sealant



Perfect for solar panels,
light bars & other electronics



Ultra strong & impact resistant



UV stable & hard wearing

Compatible with
STARLINK




To view full range visit scanstrut.com

For sales enquires contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 5311280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416

New


Horizontal Cable Seals Compatible with Starlink *Install without removing the Starlink cable connector*

SKU	Colour	Pre-drilled Bungs Supplied (mm / inch)	Starlink Compatibility
DS-HSL-01	Grey	Self Drill 2-3 / 0.07-0.11 4-5 / 0.15-0.19 6-7 / 0.23-0.28 7-8 (0.28-0.31)	Performance (Gen 3), Enterprise (Gen 3), Standard 4/4X, Mini
DS-HSL-01-BLK	Black		




Horizontal Cable Seal
Designed for single cable installations

SKU	Colour	Min. Cable Size (mm / inch)	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)
DS-H6	Grey	2 / 0.08	6 / 0.24	Self Drill 2 / 0.08 3 / 0.12 4 / 0.16 5 / 0.20 6 / 0.24
DS-H6-BLK	Black			
DS-H10	Grey	6 / 0.24	10 / 0.39	Self Drill 6 / 0.24 7 / 0.28 8 / 0.31 9 / 0.35 10 / 0.39
DS-H10-BLK	Black			



Double Horizontal Cable Seal
Designed for double cable installations

SKU	Colour	Min. Cable Size (mm / inch)	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)
DS-HD6	Grey	5 / 0.20	6 / 0.24	Self Drill 2x 5 / 0.20 2x 6 / 0.24
DS-HD6-BLK	Black			
DS-HD10	Grey	6 / 0.24	10 / 0.39	Self Drill 2x 6 / 0.24 2x 7 / 0.28 2x 8 / 0.31 2x 9 / 0.35 2x 10 / 0.39
DS-HD10-BLK	Black			



Multi Cable Seals

A highly versatile range of cabling solutions that eliminate time-consuming, sub-standard routing of cables and messy sealant to achieve a 100% watertight installation for your cables every time. Designed for installing more than 2 cables at a time to maximise your roof space.

Available in:



100% watertight



Easy fit cable routing



No messy sealant



Perfect for solar panels,
light bars & other electronics



Ultra strong & impact resistant



UV stable & hard wearing



Scout Campers

To view full range visit scanstrut.com



For sales enquires contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 5311280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416



Multi Cable Seal

Designed for multiple cable installations

SKU	Colour	Max. Cable Size (mm / inch)	Pre-drilled Bunges Supplied (mm / inch)
DS-Multi	Anodised Aluminium	15 / 0.59	Self Drill
DS-Multi-P-BLK	Black Plastic		



Horizontal Multi Cable Seal

Designed for multiple cable installations

SKU	Colour	Max. Cable Size (mm / inch)	Pre-drilled Bunges Supplied (mm / inch)
NEW DS-H-Multi-BLK	Black	15 / 0.59	Self Drill



Vertical Cable Seals

This premium IP68 waterproof range provides easy fit cable routing that cuts down your installation time. Designed for a range of cable & connector diameters (no minimum diameter) and with options for 2mm to 40mm / 0.07" to 1.57" connectors, making it ideal for almost every installation.

Available in:



100% watertight



Easy fit cable routing



No messy sealant



Perfect for solar panels,
light bars & other electronics



Ultra strong & impact resistant



UV stable & hard wearing




Split bung

Compatible with
STARLINK



To view full range visit scanstrut.com

For sales enquires contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 5311280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416



New

Vertical Cable Seals Compatible with Starlink *Install without removing the Starlink cable connector*

SKU	Colour	Pre-drilled Bungs Supplied (mm / inch)	Starlink Compatibility
DS16-SL	Grey	Self Drill 4 / 0.16 6 / 0.23	Standard (Gen 3) / Standard Enterprise (Gen 3) / Enterprise Mini
DS16-SL-BLK	Black		
DS30-SL	Grey	Self Drill 8.5 / 0.34	Flat High Performance / Performance (Gen 2) High Performance / Performance (Gen 1)
DS30-SL-BLK	Black		

Vertical Cable Seal

SKU	Colour	Min. Cable Size (mm / inch)	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)	Fits Connector up to (mm / inch)
DS6-P	Grey	2 / 0.08	6 / 0.24	Self Drill 2 / 0.08 3 / 0.12 4 / 0.16 5 / 0.20 6 / 0.24	-
DS6-P-BLK	Black				
DS16-P	Grey			Self Drill 3 / 0.12 4 / 0.16 7 / 0.28	Ø 16 / 0.63
DS16-P-BLK	Black	2 / 0.08	8 / 0.35		
DS16-S	Stainless				
DS21A-P	Grey			Self Drill 4 / 0.16 5 / 0.20 7 / 0.28	Ø 21 / 0.82
DS21A-P-BLK	Black	4 / 0.15	9 / 0.35		
DS21A-S	Stainless				
DS21B-P	Grey			Self Drill 9 / 0.35 11 / 0.43 13 / 0.51	Ø 21 / 0.82
DS21B-P-BLK	Black	9 / 0.35	14 / 0.55		
DS21B-S	Stainless				
DS30-P	Grey			Self Drill 9 / 0.35 11 / 0.43 13 / 0.51	Ø 30 / 1.18
DS30-P-BLK	Black	9 / 0.35	14 / 0.55		
DS30-S	Stainless				
DS40-P	Grey				
DS40-P-BLK	Black	12 / 0.47	15 / 0.59	Self Drill 12 / 0.46	Ø 40 / 1.57
DS40-S	Stainless				

NEW

Low Profile Cable Seals

This low-profile design reduces the overall seal height by over 70% when compared to the standard range by concealing the seal technology below the mounting surface. This results in a clean and more refined appearance and enables installation in the tightest of spaces.

Available in:



100% watertight



Easy fit cable routing



No messy sealant



Perfect for solar panels,
light bars & other electronics




Ultra strong & impact resistant



UV stable & hard-wearing

To view full range visit scanstrut.com

For sales enquires contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 5311280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416



Low Profile Cable Seal

SKU	Colour	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)	Fits Connector up to (mm / inch)
NEW DS-LP-16-BLK	Black / Anodised Aluminium	2 / 0.08	Self Drill 3 / 0.12	Ø 16 / 0.63
NEW DS-LP-16-S	316 Stainless		4 / 0.16 7 / 0.28	
NEW DS-LP-21A-BLK	Black / Anodised Aluminium	4 / 0.15	Self Drill 4 / 0.16	Ø 21 / 0.82
NEW DS-LP-21A-S	316 Stainless		5 / 0.20 7 / 0.28	
NEW DS-LP-21B-BLK	Black / Anodised Aluminium	9 / 0.35	Self Drill 9 / 0.35	Ø 21 / 0.83
NEW DS-LP-21B-S	316 Stainless		11 / 0.43 13 / 0.51	
NEW DS-LP-30-BLK	Black / Anodised Aluminium	9 / 0.35	Self Drill 9 / 0.35	Ø 30 / 1.18
NEW DS-LP-30-S	316 Stainless		11 / 0.43 13 / 0.51	
NEW DS-LP-MULTI-BLK	Black / Anodised Aluminium	4 x 15 / 0.59	Self Drill	Ø 15 / 0.59
NEW DS-LP-MULTI-S	316 Stainless			



red**dot** winner 2026





New ✦

Ventura Series

Connecting Every Adventure

Built for life on the move, the Scanstrut Ventura Series delivers compact, uniform utility sockets that stand up to the toughest environments.

Designed for overlanders, vanlifers, and RV explorers with limited panel space, Ventura provides quick, seamless access to essential outdoor utilities 12V power, USB-C, solar, water, TV, and mains connections.

Each socket features a premium, low-profile design and a spring-loaded, click-shut lid. Rated IP68 & IP69K waterproof when closed, Ventura keeps your connections protected rain or shine, trail or coast.

With high-performance materials, marine-grade engineering, and a unified look across the range, Ventura combines durability and design in one powerful package.



IP68 & IP69K Waterproof
(cover closed)



Cover Sprung to
Fully Open



Click-to-Close Design



Marine-Grade 316
Stainless Steel Hardware




90° Bump-Feature




Mounting Gasket Included



Click to close
design



Lid held 1/2 open
by bump feature



Cover sprung
fully open

OUTLET



New ⚡



New ⚡



SC-V-DC3

Anderson 50A Power Outlet

IP Rating IP68 & IP69K (with lid closed)

Connection Type Anderson SB50 - Grey

Connector Max Current Rated 50A
(6AWG cable)

Connector Max Voltage Rated 600V DC

Max Power Delivery 12V System - 600W
24V System - 1200W
48V System - 2400W

SB50 terminal crimps are **not** included

SC-V-DC4

SAE Power Outlet

IP Rating IP68 & IP69K (with lid closed)

Connection Type SAE

Connector Max Current 20A

Connector Max Voltage Rated 24V DC

Max Power Delivery 12V System - 240W
24V System - 480W

Cable Size 4mm²/12AWG, 150mm (6") length

SC-V-DC2

12V Power Outlet

IP Rating IP68 & IP69K (with lid closed)

Input Voltage 10-15V DC (12/24V System)

Input Current Max 15A

Output Max 12V DC 15A 225W

INLET



SC-V-S1

Anderson 50A Solar Connection

IP Rating IP68 & IP69K (cover closed)

Connection Type Anderson SB50 - Red

Connector Max Current Rated 50A
(6AWG Cable)

Connector Max Voltage Rated 600V DC

Max Power Delivery 12V Input - 600W
24V Input - 1200W
48V Input - 2400W

SB50 terminal crimps are **not** included



SC-V-S2

SAE Solar Connection

IP Rating IP68 & IP69K (cover closed)

Connection Type SAE

Connector Max Current 20A

Connector Max Voltage Rated 24V DC

Max Power Delivery 12V Input - 240W
24V Input - 480W

Cable Size 4mm² / 12AWG

Cable Length 150mm (6")
Tinned Copper Wire



SC-V-S3

XT60 Solar Connection

IP Rating IP68 & IP69K (cover closed)

Connection Type Amass XT60EW-M Male
Waterproof Type

Connector Max Current 30A Continuous
60A Instantaneous

Connector Max Voltage Rated 500V DC

Max Power Delivery 12V Input - 360W
24V Input - 720W
48V Input - 1440W

Cable Size 4mm²/12AWG, 150mm (6") length



USA Exclusive



SC-V-P1

Dual 125V 20A AC Outlet

IP Rating IP68 & IP69K (with lid closed)

Rating 20A 125V

Cable 12AWG Triplex Recommended

Copper cable must be used for installation

Receptacle

- Grounded duplex NEMA 5-20R - UL & CSA-listed
- Screw terminals
- Replace receptacle only with Scanstrut part number SC-UTIL-P-006285 (Qualtek 740W-F/06)



SC-V-W1

Quick-Connect Cold Water Outlet with Wash Down Kit

IP Rating IP68 & IP69K (cover closed)

H x W 69.3mm (2.73") x 110.2mm (4.34")

Install Depth 48.0mm (1.89")

Max Water System Pressure 8 BAR (115 PSI)

Hose Type 3m (10ft) length coiled PU material

Hose Diameter 9mm (0.35")

Sprayer Type

- Full stainless-steel construction
- Locking flow switch
- Adjustable spray pattern



New +



SC-V-USB-02

100W USB-C Socket

IP Rating IP68 & IP69K (with lid closed)

Input Voltage 11-33V DC (12/24V System)

Input 12V DC 10A / 24V DC 5A

Output 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=5A Max



SC-V-USB-01

Dual USB-C Socket

IP Rating IP68 & IP69K (with lid closed)

Input Voltage 10-32V DC (12/24V System)

Input Current Max 6A

Output Type C

12V System 5V=3A, 9V=3A, 12V=3A Max

24V System 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=3A Max



SC-V-TV1

SAT Connection

IP Rating IP68 & IP69K (cover closed)

Connection Type Dual F-Type Coaxial

Connection Material Nickel-Plated Brass

Impedance 75Ω

Applications Satellite & TV Systems





New✦

Roam Series

Connecting Every Adventure

The Scanstrut Roam Series takes your van or RV from roadside stops to fully connected campsite living. Designed specifically for adventurers who want to plug in, top up, and stay powered with ease, this range offers rugged, reliable solutions for shore power, water, gas, and multi-functional connections.

Whether it's powering your appliances, hooking up to fresh water, firing up your BBQ, or enjoying a hot shower after a day of exploring. The Roam Series products are engineered for seamless campsite connections, so you can enjoy all the comforts of home wherever you roam.



IP68 & IP69K Waterproof
(cover closed)



Cover Sprung to
Fully Open



Click-to-Close Design




Marine-Grade 316
Stainless Steel Hardware




90° Bump-Feature




Mounting Gasket Included



Click to close
design



Lid held 1/2 open
by bump feature



Cover sprung
fully open

New ✦



New ✦

📍 UK/EU Exclusive

SC-R-P1

230V AC Power Inlet

IP Rating IP68 & IP69K (cover closed), IP44 Engaged

Connection Type IEC 60309

Voltage Rating 200-250V AC

Current Rating 16A

Frequency Range 50 Hz

Connection Pins 3P (2P + E)
Nickel-Plated Brass Screw Terminals

Earth Position 6h

Suitable Cable Size 3x 2.5mm² Flexible Stranded Type Only



New ✦

📍 USA Exclusive

SC-R-P2

125V 30A AC Power Inlet

IP Rating IP68 & IP69K (cover closed)

Connection Type NEMA L5-30P

Compatible Connection NEMA L5-30R

Voltage Rating 125V AC

Current Rating 30A

Frequency Range 60Hz

Connection Pins Nickel-Plated Brass Screw Terminals

Suitable Cable Size 10AWG Flexible Stranded Triplex Type Only

To view full range visit scanstrut.com

For sales enquires contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 5311280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416



SC-R-W1

Gravity Fill Water Inlet

IP Rating IP68 & IP69K (cover closed)

Fill Port Stage 1* 35mm (1 3/8") Internal Diameter Hose

Stage 2 38-40mm (1 1/2") Internal Diameter Hose

* Stage 1 has a saw guide groove to remove the section if not required and installation depth is restricted.

Vent/Breather Port 10mm (1/2") Internal diameter hose

Locking Cap 2x keys included

Materials in Contact with Water

Glass-Filled Polypropylene (NSF-ANSI 61 and WRAS Approved)



SC-R-W2

City Water Inlet

IP Rating IP68 & IP69K (cover closed)

Front Connection Inlet 316 Stainless Steel 3/4" GHT Female Threaded Swivel Connection

Rear Connection Outlet 1/2 – 14 NPSM Male Thread

Safety Features • Non-Return Check Valve
• Stainless Steel Filter Screen

Materials in Contact with Water

Glass-Filled Polypropylene (NSF-ANSI 61 and WRAS Approved), Stainless Steel, EPDM



SC-R-W3

Quick-Connect Hot/Cold Water Outlet

IP Rating IP68 & IP69K (cover closed)

Outlet Connection Type ø10mm (0.39") Quick-Connect Nickel Plated Brass Coupling

Rear Connection Type Monobloc-Type
2x M10x1.00 Hot / Cold Water Feed Ports

Max Water System Pressure 8 BAR (116PSI)

Hose Type 3m (10ft) Length Coiled PU Material with Nickel Plated Brass Fittings

Hose Diameter 9mm (0.35")

Sprayer Type

• Full Stainless-Steel Construction • Adjustable Spray Pattern
• Locking Flow Switch • Silicone Handle Grip

Mixer Type

• Full Satin Brushed 316 Stainless Steel Construction
• Flow and Temperature Adjustment Lever
• Ceramic Cartridge

Materials in Contact with Water Stainless Steel, Nickel-Plated Brass (Lead-Free), Ceramic, PU

New ✦



SC-R-M1

**Multi-Power Outlet • 12V Power • Dual USB-C
Anderson 50A • SAT Connection**

IP Rating IP68 & IP69K (cover closed)

12V Power Outlet

Input Voltage (12V System) 10-15V DC

Input Current Max 15A

Output Max 225W

Standby Draw 0.01W



Dual USB-C

Input Voltage (12V System) 10-32V DC

Input Current Max 15A

Output Type C (12V System) 5V=3A, 9V=3A, 12V=3A Max

Output Type C (24V System) 5V=3A, 9V=3A, 12V=3A, 15V=3A,
20V=3A Max

Standby Power Draw 0.01W

SAT Connection

Connection Type Dual F-Type Coaxial

Dual F-Type Coaxial Nickel-Plated Brass

Impedance 75Ω

Applications Satellite & TV Systems

Anderson 50A DC Connection

Connection Type 10-32V DC

Compatible Connector 15A

Connector Max Current 5V=3A, 9V=3A, 12V=3A Max

Connector Max Voltage 5V=3A, 9V=3A, 12V=3A, 15V=3A,
20V=3A Max

Max Power Delivery (12V System) 600W

Max Power Delivery (24V System) 1200W

Max Power Delivery (48V System) 2400W

SB50 terminal crimps are **not** included. Only genuine Anderson Power connectors and terminal crimps should be used with this product and are available from Anderson Power.

Sizes Available:

- 6AWG/16mm² (Part number - 5900)
- 8AWG/10mm² (Part number - 5952)
- 12-10AWG/4mm²-6mm² (Part number - 5915)



SC-R-G1

Gas Outlet (LPG)

IP Rating IP68 & IP69K (cover closed)

Front Connection Type

- GOK DIN 4815-5 type quick-connect coupling
- Ball valve according to EN 331
- Compatibility with leading European brands (Not suitable for North American 1/4" connections)

Rear Connection Type M14 x 1.5mm compression nut & olive suitable for 8mm copper pipe

Supply Pressure Regulated low-pressure 30-50mbar (0.44-0.73PSI) systems only

Supply Gas LPG Only – Propane/Butane

- Never connect a gas bottle directly to this product
- Only suitable for use as a gas outlet, this product is not suitable for gas filling applications



SC-R-U1

Universal Electrical & Utility Housing

IP Rating IP68 & IP69K (cover closed)

Max Internal Installation Depth 22.5mm (0.9")

Max Internal Installation Width 70.4mm (2.75")

Max Internal Installation Height 78.4mm (3.07")

Housing Material 3mm (0.12") PC/ABS (UL 94 V-0)

Intention • Blank Low-Voltage AC/DC Power Enclosure
• Not Suitable for Drinking Water Contact

Example Installation Applications

Switches, Circuit Breakers, Outlets, Chargers, Cable Feed-Through Port, Air Compressor, Quick-Connectors, Monitoring/Inspection

≥ IPX6 rated switches and wiring only, if nesting alongside water connections.



WATERPROOF CHARGING

Charge Your Devices, Whatever the Weather

Explore this extensive lineup of 12V waterproof chargers, designed to keep your electronics powered up in any weather and on any job. This collection features the world's first Qi wireless chargers built to withstand outdoor elements, along with our ultra-fast, outdoor-ready USB chargers for consistent device charging.

USB



SC-USB-03
ROKK Charge Pro. Fast Charge USB-A & USB-C Socket

ROKK Charge Pro is the ultimate onboard USB charger. Featuring a USB-A and USB-C charging port housed in an IPX6 waterproof design, this is the only USB-C charger on the market that remains waterproof while in use.

IP Rating IPX6 waterproof with 1, 2 or even no cables plugged in
Charging Ports USB-A & USB-C

USB-A
12V-3A = 36W

USB-C
12V-3A = 36W
20-3A = 60W

Standby draw 0.01W

Protocol QC & PD



SC-USB-02
ROKK Charge+ Waterproof Fast Charge Dual USB Socket


The ultimate rapid charge waterproof USB charger with dual-socket connectivity that can charge devices up to 3x faster than standard USB sockets. Featuring an ultra-low profile, that's perfect for any outdoor application.

IP Rating IPX6 waterproof with 1, 2 and even no cables plugged in
Charging Ports 2x USB-A

Output Type A 5V = 2.1A

Total output current 4.2A

Standby draw 0.01W



NEW

Flip Pro

The ultimate rapid USB chargers

The Scanstrut Flip Pro USB Charge range is an innovative charging solution engineered to offer dependable and rapid USB charging in outdoor environments.

This charger lineup combines robust construction, cutting-edge USB technology, and an intuitive design to ensure a hassle-free charging experience in any weather or work environment.

32mm / 1.26" diameter cut hole and all shipped with front-facing bezel & match in new design aesthetic.

Available in:



IPX4 waterproof



12 / 24V



Marine-grade materials



Contains optional front-fit bezel



No sealant required



Low profile

To view full range visit scanstrut.com

For sales enquires contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 5311280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416



NEW
SC-12V-F1

Flip Pro 12V Power Socket

IP Rating IPX4 when lid is closed

Voltage 12V

Max Output 10A

12V system only

Compact footprint

Marine-grade materials

Nickel-Plated copper alloy
internal contacts



NEW
SC-USB-F3

Flip Pro Max - Dual USB-C Charge Socket

IP Rating IPX4 when lid is closed

Voltage 12 & 24V

Input Current Max 6A

Output Type C (12V System)
5V / 9V / 12V = 3A Max

Output Type C (24V System)
5V / 9V / 12V / 15V / 20V = 3A Max

Protocol QC & PD



NEW
SC-USB-F4

Flip Pro Plus Fast Charge USB-A & USB-C Socket

IP Rating IPX4 when lid is closed

Voltage 12V & 24V

Type A/C Dual USB Charger

Input Current Max 6A

USB-A (12V System)
5V / 9V / 12V = 3A Max

USB-C (12V System)
5V / 9V / 12V = 3A Max

Protocol QC & PD



NEW
SC-MULTI-F1

Flip Pro Multi - Dual USB-C

IP Rating IPX4 when lid is closed

Voltage 12 & 24V

Input Current Max 6A

Output Type C (12V System)
5V / 9V / 12V = 3A Max

Output Type C (24V System)
5V / 9V / 12V / 15V / 20V = 3A Max

Protocol QC & PD

12V Power Socket

Voltage 12V

Max Output 10A

12V system only

Protocol QC & PD



NEW
SC-Multi-F2

Flip Pro Duo - USB-A/C

IP Rating IPX4 when lid is closed

Voltage 12V

Max Output 10A

12V system only

Type A/C Dual USB Charger


Protocol QC & PD

12V Power Socket

Voltage 12V

Max Output 10A

12V system only



All chargers are supplied with
a front-fit bezel



Features male spade terminals

1 Coil



Wireless
Charge



IPX6
Waterproof



Output
10W



Qi
Certified



SC-CW-01F

**ROKK Wireless - Hidden. 10W
Waterproof Wireless charger 12/24V**

Sub-surface installation hidden from view. Ideal for charging through worktops, allowing for custom branding to maintain your business aesthetic.. Requires pocket or bond install.



SC-CW-02F

**ROKK Wireless - Surface. 10W
Waterproof Wireless charger 12/24V**


A compact, low-profile charge pad designed to fit any smooth surface. Features a sleek, contemporary look with a strong rubber grip and two-tone colour scheme.



SC-CW-04F

**ROKK Wireless - Active. 10W
Waterproof Wireless phone
charging mount 12/24V**

A mount-and-charge system, high friction grip, and single-handed docking capability. It securely holds and wirelessly charges your phone even in tough conditions, keeping it within reach, charged, and ready to go.



SC-CW-07F

**ROKK Wireless - Sub. 10W
Waterproof Wireless charger 12/24V**

Engineered for a factory-fit installation, it seamlessly integrates into any interior. Effortlessly bond and wirelessly charge through thin, non-metallic materials like EVA foam or carpet. Designed to support custom branding, it maintains a clean, unchanged aesthetic.



To view full range visit scanstrut.com

For sales enquires contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 5311280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416

NEW

3 Coil



Wireless
Charge



IPX5 - IPX6
Waterproof



Output
15W



12V / 24V
Charge



SC-CW-1GT

Waterproof Wireless Charger - Hidden 3 Coil

Sub-surface installation hidden from view. Ideal for charging through worktops, allowing for custom branding to maintain your business aesthetic.




SC-CW-2GT

Waterproof Wireless Charger - Surface 3 Coil

Low-profile, flush-mounted charge pad designed to fit any smooth surface. Features a top LED indicator and a sleek, contemporary look with a two-tone colour scheme, complimenting it's surroundings.

What is a 3-Coil Charger?


A charger with 3 overlapping coils maximizes efficiency and power, ensuring reliable outdoor waterproof charging while easily finding the sweet spot for any phone position.



SC-CW-7GT

Waterproof Wireless Charger - Sub 3 Coil


Engineered for a factory-fit installation, it seamlessly integrates into any interior. Effortlessly bond and wirelessly charge through thin, non-metallic materials like EVA foam or carpet. Designed to support custom branding, it maintains a clean, unchanged aesthetic.



SC-CW-9GT

Waterproof Wireless Charger - Cove 3 Coil

Securely holds and wirelessly charges your phone, making it ideal for integration into consoles, seating, and cabinetry. Its rounded corners and tapered front prevent snagging, ensuring a sleek and seamless look.



SC-CW-10GT

Waterproof Wireless Charger - Cove LED 3 Coil

Safely houses and wirelessly charges your phone. Perfect for integration into consoles, seating, and cabinetry. Rounded corners and tapered front eliminate snagging risks. Features an inbuilt RGB LED light bar and top LED charging indicator.



ROKK Mini

ROKK Mini is a compact and multi-adjustable mounting system for smartphones, tablets, projectors, cameras and more! Small in size but big on features, ROKK mini is the most durable and reliable mount for your onboard tech.

Available in:



Quick fit



Quick release




Marine grade materials



Mounts tablets, phones & projectors



Multiple base options



To view full range visit scanstrut.com

For sales enquires contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 5311280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416



Complete install kits

RLS-508-401

**ROKK Mini Tablet Mount kit
with Screw Down Base**

RLS-508-404

**ROKK Mini Tablet Mount kit
with Self-Adhesive Base**

RLS-508-405

**ROKK Mini Tablet Mount kit
with Suction Cup Base**

Accessories

TOP BASE BODY		RL-508 Tablet Clamp		RL-509 Phone Clamp		RL-511 1/4" Camera / Projector Plate
		RLS-401 Screw Down Base		RLS-404 Adhesive Base		RLS-405 Suction Cup Base
		RLS-AM Adjustable Body				

Keep in touch

For all the latest from Scanstrut sign up to our mailing list or follow us on Facebook or LinkedIn for product features, articles, new releases and more.

We love to see Scanstrut products in the wild so don't forget to post your photos and videos.

Follow us on
Instagram



Follow us on
Facebook



Follow us on
LinkedIn



Contact us

Scanstrut HQ

sales@scanstrut.com

+44 (0)1392 531280

Scanstrut USA

usasales@scanstrut.com

+1 860 308 1416

Become a partner

Whether you're a parts reseller, converter, or OEM, we'd love to hear from you if you believe our products can enhance your offerings or business.

- OEM customization available
- In-house design team ready to assist with integration
- ISO 9001 certified for quality assurance
- Custom OEM pricing
- Dedicated support

or follow us on Instagram,
eases and more.

get to tag us in your

ve to hear from you if
siness.

SCANSTRUT®

scanstrut.com