



SCANSTRUT[®]
THE RV COLLECTION
#002

outdoor • technologies



Design



Innovation




Partner



Quality



Sustainability



The Story (So Far)

Scanstrut is a global leader in outdoor and RV equipment, manufacturing cutting-edge technologies designed to enhance life on the road and in the great outdoors for over 40 years.

The company started with a passion for enabling adventure and is now recognized worldwide for quality, reliability, and innovation. With a diverse product range of over 350 items, Scanstrut products are organized into five main categories: mounts, power, air, seal, and inlets/outlets, all engineered to withstand the unique challenges of life on the move.

Proudly independent, with headquarters in the UK and USA, the company's journey has been marked by industry-first innovations such as ground-breaking mounting systems and wireless charging solutions designed for rugged, mobile environments.

Every innovation is created in-house by a talented design and engineering team, bringing ideas from concept to production with precision and care. Every product meets the highest standards and is trusted by RV owners and outdoor adventurers facing the toughest conditions.

Scanstrut is excited to keep innovating and supporting your adventures, wherever the road takes you.





SCA Introduction 06-07

Seal	
Vertical Cable Seals	10-11
Horizontal Cable Seals	12-13
Multi Cable Seals	14-15
Low Profile Cable Seals	16-17

Air	
Integrated Air Station	18-19

New Ventura	
Exterior Utility Sockets	20-23

USB Charging	
USB Waterproof Whilst in Use	26-27
Flip Pro	28-29
New TILE Tiny Interior Lifestyle Electronics	30-31

Waterproof Wireless Charging	
Mount & Charge	34-35
1 Coil	36-37
3 Coil	38-39
3 Coil Store & Charge	40-41

Mount	
ROKK Mini	42-43



Safe • Certified • Approved

The testing standard at Scanstrut is encapsulated by the acronym SCA, which stands for Safe, Certified, and Approved. With over 35 years of experience and expertise in designing products for outdoor use, we design our products to be able to thrive in the harshest of outdoor environments.

Before any product is released, it must pass through our rigorous testing program which involves relevant assessments in electrical, mechanical, U.V., corrosion, thermal, and waterproof categories. To ensure the highest level of accuracy, testing is conducted both internally and by independent accredited test houses.

Our commitment to quality at Scanstrut has earned the approval of renowned names such as Winnebago, Airstream, EarthRoamer, and many more. Every product is rigorously tested to perform in the toughest environments. To learn more about our testing program and certifications, get in touch.

Testing Process



On/Off Road Testing

Simulates real-world performance by rigorously testing the product across varied terrains, including roads and off-road trails



Cycle Testing

Simulates extended long-term use by repeatedly opening and closing a lid to replicate mechanical wear over time.



Water Pressure Test

Evaluates the product's capacity to endure rising internal pressure, ensuring it maintains structural integrity under extreme conditions.



Corrosion Test

100-hours of a special formula salt spray that simulates accelerated marine environmental effects on the product.



IP Test

Water and dust protection under test laboratory conditions to international IP standards. We test between IPX4 (waterjet) and IP68 (submersion).



Impact Test

Drop tests to assess the impact of items falling onto our products and ensure they can withstand impacts while being used as intended.



Cable Bend Test

Electrical products are bolted into a specially designed automated jig to mechanically bend the cable -45° to +45° for 3000 cycles. This ensures cables will not fail even after prolonged use.



Accelerated UV Material Test

We accelerate the effects of UV exposure to replicate our products usage in extreme tropical climates. We do this to ensure parts do not become brittle, discolour or fail over time.



Humidity Chamber Test

Similar to our brutal SCA Thermal Chamber Test, but we've added humidity to make it even more punishing.



Shaker Table Test

Shock testing in X / Y / Z and +/- axis at 5G increments up to 30G to evaluate the products strength, particularly relevant for our Radar mounts.



FEA Analysis

Finite Element Analysis, simulates the behaviour of the design in virtual conditions to allow us to optimise the design before prototyping and physical testing.



30G Shock Test

Shock testing at 30G (30 times the force of gravity) to evaluate strength, particularly relevant for our Radar mounts and other powerboat products.



Material Test

Positive Material Identification (PMI) ensures consistent quality of 316 Stainless Steel and Aluminium products. This controls strength and environmental performance.



Cable Twist Test

Electrical products are bolted into a specially designed automated jig to mechanically twist the cable -45° to +45° for 3000 cycles. This ensures cables will not fail even after prolonged use.



Thermal Chamber Test

Laboratory chamber running from -40°C (-40°F) to +85°C (185°F) and back to -40°C (-40°F) for 120 cycles, this accelerates material ageing to simulate real world environment.



Temperature Chamber Test

Product placed in a laboratory chamber at high temperatures to ensure our products continue to perform as designed.





Cable Seals

Scanstrut cable seals are engineered for all RV environments, offering a **100% watertight installation** without the need for messy sealants. Designed to eliminate time-consuming, sub-standard cable routing, this IP68 waterproof range ensures reliable performance for all your rooftop electronics, including solar panels and light bars. Available in grey or black high-impact UV-stable plastic, anodized aluminium or 316 stainless steel. These easy-fit cable seals reduce installation time and feature captive fastenings for straightforward assembly and reliable repeat installations.



100% Watertight



Easy Fit Cable Routing



No Messy Sealant



Perfect for solar panels, light bars & other rooftop electronics



Ultra Strong & Impact Resistant



UV Stable & Hard Wearing



Split Bung

Compatible with
STARLINK




Vertical Cable Seals

Fast, Easy, and 100% Waterproof!

This premium IP68 waterproof range provides easy fit cable routing that cuts down your installation time. Designed for a range of cable & connector diameters (no minimum diameter) and with options for 2mm to 40mm / 0.07" to 1.57" connectors, making it ideal for almost every installation.

Available in





New

Vertical Cable Seals Compatible with Starlink

SKU	Colour	Pre-drilled Bungs Supplied (mm / inch)	Starlink Compatibility
DS16-SL	Grey	Self Drill 4 / 0.16 6 / 0.23	Standard (Gen 3) / Standard Enterprise (Gen 3) / Enterprise Mini
DS16-SL-BLK	Black		
DS30-SL	Grey	Self Drill 8.5 / 0.34	Flat High Performance / Performance (Gen 2) High Performance / Performance (Gen 1)
DS30-SL-BLK	Black		

Vertical Cable Seal

SKU	Colour	Min. Cable Size (mm / inch)	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)	Fits Connector up to (mm / inch)
DS6-P	Grey	2 / 0.08	6 / 0.24	Self Drill 2 / 0.08 3 / 0.12 4 / 0.16 5 / 0.20 6 / 0.24	-
DS6-P-BLK	Black				
DS16-P	Grey			Self Drill 3 / 0.12 4 / 0.16 7 / 0.28	Ø 16 / 0.63
DS16-P-BLK	Black	2 / 0.08	8 / 0.35		
DS16-S	Stainless				
DS21A-P	Grey			Self Drill 4 / 0.16 5 / 0.20 7 / 0.28	Ø 21 / 0.82
DS21A-P-BLK	Black	4 / 0.15	9 / 0.35		
DS21A-S	Stainless				
DS21B-P	Grey			Self Drill 9 / 0.35 11 / 0.43 13 / 0.51	Ø 21 / 0.82
DS21B-P-BLK	Black	9 / 0.35	14 / 0.55		
DS21B-S	Stainless				
DS30-P	Grey			Self Drill 9 / 0.35 11 / 0.43 13 / 0.51	Ø 30 / 1.18
DS30-P-BLK	Black	9 / 0.35	14 / 0.55		
DS30-S	Stainless				
DS40-P	Grey				
DS40-P-BLK	Black	12 / 0.47	15 / 0.59	Self Drill 12 / 0.46	Ø 40 / 1.57
DS40-S	Stainless				

To view full range visit scanstrut.com

For sales inquiries contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 531280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416



100% Watertight



Easy Fit Cable Routing



No Messy Sealant




Perfect for solar panels, light bars & other rooftop electronics



Ultra Strong & Impact Resistant



UV Stable & Hard Wearing




Horizontal Cable Seals

Horizontal cable seals eliminate time-consuming, sub-standard routing of cables and messy sealant to achieve a 100% watertight installation for your cables every time. Designed to fit a large range of RV cables, available in a single or double seal option.

Available in






Horizontal Cable Seal

Designed for single cable installations


SKU	Colour	Min. Cable Size (mm / inch)	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)
DS-H6	Grey	2 / 0.08	6 / 0.24	Self Drill 2 / 0.08
DS-H6-BLK	Black			3 / 0.12
				4 / 0.16
				5 / 0.20
				6 / 0.24
DS-H10	Grey	6 / 0.24	10 / 0.39	Self Drill 6 / 0.24
DS-H10-BLK	Black			7 / 0.28
				8 / 0.31
				9 / 0.35
				10 / 0.39



Double Horizontal Cable Seal

Designed for double cable installations

SKU	Colour	Min. Cable Size (mm / inch)	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)
DS-HD6	Grey	5 / 0.20	6 / 0.24	Self Drill 2x 5 / 0.20
DS-HD6-BLK	Black			2x 6 / 0.24
DS-HD10	Grey	6 / 0.24	10 / 0.39	Self Drill 2x 6 / 0.24
DS-HD10-BLK	Black			2x 7 / 0.28
				2x 8 / 0.31
				2x 9 / 0.35
				2x 10 / 0.39



CABLE SEALS



100% Watertight



Easy Fit Cable Routing



No Messy Sealant




Perfect for solar panels, light bars & other rooftop electronics



Ultra Strong & Impact Resistant



UV Stable & Hard Wearing



Multi Cable Seals

A highly versatile range of cabling solutions that eliminate time-consuming, sub-standard routing of cables and messy sealant to achieve a 100% watertight installation for your cables every time. Designed for installing more than 2 cables at a time to maximise your roof space.


Available in






Multi Cable Seal
Designed for multiple cable installations

SKU	Colour	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)
DS-Multi	Anodised Aluminium	15 / 0.59	Self Drill
DS-Multi-P-BLK	Black Plastic		



CABLE SEALS



Horizontal Multi Cable Seal
Designed for multiple cable installations

SKU	Colour	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)
NEW DS-H-Multi-BLK	Black	15 / 0.59	Self Drill





100% Watertight



Easy Fit Cable Routing



No Messy Sealant



Perfect for solar panels, light bars & other rooftop electronics



Ultra Strong & Impact Resistant



UV Stable & Hard Wearing



Low Profile Cable Seals

This low-profile design reduces the overall seal height by over 70% when compared to the standard range by concealing the seal technology below the mounting surface. This results in a clean and more refined appearance and enables installation in the tightest of spaces.


Available in





Low Profile Cable Seal

SKU	Colour	Max. Cable Size (mm / inch)	Pre-drilled Bungs Supplied (mm / inch)	Fits Connector up to (mm / inch)
DS-LP-16-BLK	Black / Anodised Aluminium	2 / 0.08	Self Drill 3 / 0.12	Ø 16 / 0.63
DS-LP-16-S	316 Stainless		4 / 0.16 7 / 0.28	
DS-LP-21A-BLK	Black / Anodised Aluminium	4 / 0.15	Self Drill 4 / 0.16	Ø 21 / 0.82
DS-LP-21A-S	316 Stainless		5 / 0.20 7 / 0.28	
DS-LP-21B-BLK	Black / Anodised Aluminium	9 / 0.35	Self Drill 9 / 0.35	Ø 21 / 0.83
DS-LP-21B-S	316 Stainless		11 / 0.43 13 / 0.51	
DS-LP-30-BLK	Black / Anodised Aluminium	9 / 0.35	Self Drill 9 / 0.35	Ø 30 / 1.18
DS-LP-30-S	316 Stainless		11 / 0.43 13 / 0.51	
DS-LP-MULTI-BLK	Black / Anodised Aluminium	4 x 15 / 0.59	Self Drill	Ø 15 / 0.59
DS-LP-MULTI-S	316 Stainless			



ATMOS

12V Integrated Air Station

This beautifully designed, in-built air station is here to maximize quality time on the water. At the push of a button, ATMOS is ready to inflate your paddle boards, air mattresses, awnings and more: simply set the target pressure and let ATMOS do all the hard work. Utilizing Scanstrut outdoor technology DNA, this is waterproof on-board air that's engineered to thrive in the harsh marine environment.



SC-AOB-A2

ATMOS 12V Integrated Air Station

Easily integrate ATMOS into your RV with its compact and shallow design. The versatile air station can be installed in a variety of locations making it convenient and accessible wherever it's needed. Easily installed into any panel using 10 self-tapping screws, with a foam gasket included to ensure a secure and waterproof fit. As a standard ATMOS comes with a 2.5m / 8ft hose. Alternatively a 3.6m / 12ft hose is available [SC-AOB-A-HOSEV-12](#)

At Scanstrut, our SCA standard – Safe, Certified, Approved – ensures products thrive in challenging outdoor conditions. Each product undergoes rigorous testing for outdoor reliability and performance by our internal test engineers and accredited test houses.



Scan QR code to view
all product tests







New ✨

Ventura Series

Connecting Every Adventure

Built for life on the move, the Scanstrut Ventura Series delivers compact, uniform utility sockets that stand up to the toughest environments.

Designed for overlanders, vanlifers, and RV explorers with limited panel space, Ventura provides quick, seamless access to essential outdoor utilities 12V power, USB-C, solar, water, TV, and mains connections.

Each socket features a premium, low-profile design and a spring-loaded, click-shut lid. Rated IP68 & IP69K waterproof when closed, Ventura keeps your connections protected rain or shine, trail or coast.

With high-performance materials, marine-grade engineering, and a unified look across the range, Ventura combines durability and design in one powerful package.



IP68 & IP69K Waterproof
(cover closed)



Cover Sprung to
Fully Open



Click-to-Close Design



Marine-Grade 316
Stainless Steel Hardware




90° Bump-Feature




Mounting Gasket Included



Click to close
design



Lid held 1/2 open
by bump feature



Cover sprung
fully open

New ✦



SC-V-S1

SC-V-S2

SC-V-S3



SC-V-S1

Anderson 50A Solar Connection

IP Rating IP68 & IP69K (cover closed)

Connection Type Anderson SB50 - Red

Connector Max Current Rated 50A (6AWG Cable)

Connector Max Voltage Rated 600V DC

Max Power Delivery

12V Input 600W 24V Input 1200W 48V Input 2400W

SB50 terminal crimps are **not** included



SC-V-S2

SAE Solar Connection

IP Rating IP68 & IP69K (cover closed)

Connection Type SAE

Connector Max Current 20A

Connector Max Voltage Rated 24V DC

Max Power Delivery

12V Input 240W 24V Input 480W

Cable Size 4mm² / 12AWG

Cable Length 150mm (6") Tinned Copper Wire



SC-V-S3

XT60 Solar Connection

IP Rating IP68 & IP69K (cover closed)

Connection Type Amass XT60EW-M Male Waterproof Type

Connector Max Current 30A Continuous
60A Instantaneous

Connector Max Voltage Rated 500V DC

Max Power Delivery

12V Input 360W 24V Input 720W 48V Input 1440W

Cable Size 4mm² / 12AWG

Cable Length 150mm (6") Tinned Copper Wire



SC-V-P1

Dual 125V 20A AC Outlet

IP Rating IP68 & IP69K (with lid closed)

Rating 20A 125V

Cable 12AWG Triplex Recommended

Copper cable must be used for installation

- Receptacle**
- Grounded duplex NEMA 5-20R - UL & CSA-listed
 - Screw terminals
 - Replace receptacle only with Scanstrut part number SC-UTIL-P-006285 (Qualtek 740W-F/06)



SC-V-W1

Quick-Connect Cold Water Outlet with Wash Down Kit

IP Rating IP68 & IP69K (cover closed)

H x W 69.3mm (2.73") x 110.2mm (4.34")

Install Depth 48.0mm (1.89")

Max Water System Pressure 8 BAR (115 PSI)

Hose Type 3m (10ft) length coiled PU material

Hose Diameter 9mm (0.35")

- Sprayer Type**
- Full stainless-steel construction
 - Locking flow switch
 - Adjustable spray pattern

VENTURA SERIES



SC-V-USB-01

Dual USB-C Socket

IP Rating IP68 & IP69K (with lid closed)

Input Voltage 10-32V DC
(12/24V System)

Input Current Max 6A

Output Type C

12V System

5V=3A, 9V=3A, 12V=3A Max

24V System

5V=3A, 9V=3A, 12V=3A, 15V=3A,
20V=3A Max



SC-V-DC1

12V Power Outlet

IP Rating IP68 & IP69K (with lid closed)

Input Voltage 10-15V DC
(12/24V System)

Output Max 150W



SC-V-TV1

SAT Connection

IP Rating IP68 & IP69K (cover closed)

Connection Type Dual F-Type Coaxial

Connection Material Nickle-Plater Brass

Impedance 75Ω

Applications Satellite & TV Systems





USB Charging

Explore the line-up of USB chargers, engineered to keep your electronics powered up, no matter the adventure!



IPX6 Waterproof



Fast Charge



Waterproof
While In Use



Marine-Grade
Materials

USB Charging Waterproof While in Use

Available in



The waterproof while-in-use series is a game-changer, letting you fast charge without any charging ports being exposed to water. Made with cutting-edge marine-grade materials and designed with longevity, reliability, and ease of use in mind. This series is a great addition to any boat if you want to up your level up your charging experience.



SC-USB-02

ROKK Charge+ Waterproof Fast Charge Dual USB Socket

The ultimate rapid charge waterproof USB charger with dual-socket connectivity that can charge devices up to 3x faster than standard USB sockets. Featuring an ultra-low profile, that's perfect for any outdoor application.

IP Rating IPX6 waterproof with 1, 2 and even no cables plugged in

Charging Ports 2x USB-A

Output Type A 5V = 2.1A

Total Output Current 4.2A

Standby Draw 0.01W



SC-USB-03

ROKK Charge Pro. Fast Charge USB-A & USB-C Socket

ROKK Charge Pro is the ultimate onboard USB charger. Featuring a USB-A and USB-C charging port housed in an IPX6 waterproof design, this is the only USB-C charger on the market that remains waterproof while in use.

IP Rating IPX6 waterproof with 1, 2 or even no cables plugged in

Charging Ports USB-A & USB-C

USB-A
12V-3A = 36W

USB-C
12V-3A = 36W
20-3A = 60W

Standby Draw 0.01W

Protocol QC & PD



IPX4 Waterproof



12 / 24V



Marine-Grade Materials



Contains Optional
Front-Fit Bezel



No Sealant Required



Low Profile



Flip Pro

Revolutionize your RV and Camper Van experience

The Scanstrut Flip Pro USB Charge range is an innovative vanlife charging solution engineered to offer dependable and rapid USB charging in outdoor environments.

This charger lineup merges robust construction, cutting-edge USB technology, and an intuitive design to guarantee a hassle-free charging experience during road trips and van living adventures.

32mm / 1.26" diameter cut hole and all shipped with front-facing bezel & match in new design aesthetic.

Available in





SC-12V-F1

Flip Pro 12V Power Socket

IP Rating IPX4 when lid is closed

Voltage 12V

Max Output 10A

12V system only

Compact footprint

Marine-grade materials

Nickel-Plated copper alloy
internal contacts



SC-USB-F3

Flip Pro Max

Dual USB-C Charge Socket

IP Rating IPX4 when lid is closed

Voltage 12 & 24V

Input Current Max 6A

Output Type C (12V System)

5V / 9V / 12V = 3A Max

Output Type C (24V System)

5V / 9V / 12V / 15V / 20V = 3A Max

Protocol QC & PD



SC-USB-F4

Flip Pro Plus Fast Charge

USB-A & USB-C Socket

IP Rating IPX4 when lid is closed

Voltage 12V & 24V

Type A/C Dual USB Charger

Input Current Max 6A

USB-A (12V System)

5V / 9V / 12V = 3A Max

USB-C (12V System)

5V / 9V / 12V = 3A Max

Protocol QC & PD



SC-MULTI-F1

Flip Pro Multi - Dual USB-C

IP Rating IPX4 when lid is closed

Voltage 12 & 24V

Input Current Max 6A

Output Type C (12V System)

5V / 9V / 12V = 3A Max

Output Type C (24V System)

5V / 9V / 12V / 15V / 20V = 3A Max

Protocol QC & PD

12V Power Socket

Voltage 12V

Max Output 10A

12V system only

Protocol QC & PD



SC-Multi-F2

Flip Pro Duo - USB-A/C

IP Rating IPX4 when lid is closed

Voltage 12V

Max Output 10A

12V system only

Type A/C Dual USB Charger


Protocol QC & PD

12V Power Socket

Voltage 12V

Max Output 10A

12V system only



All chargers are supplied with
a front-fit bezel



Features male spade terminals

USB CHARGING



12V & 24V



Available as Dual USB-C Ports
or USB-A & USB-C



Ultra-Low Profile



Tiny Foot Print
40x40mm (1.57 x 1.57")



Available in 316 Stainless
Steel or Matte Black



Conformal Coated Electronics,
Protected Against Moisture



Modernise Your
RVs Interior



New ✨

TILE Series

Tiny Interior Lifestyle Electronics

The Scanstrut TILE Series offers sleek, high-performance charging solutions designed specifically for RV interiors. With elegant bezel options in matte black or premium 316 brushed stainless steel, these chargers blend seamlessly into luxury RV environments.

Featuring a compact 40mm footprint and requiring just a 29mm hole saw for easy installation, the TILE Series combines functionality and style, making it the ideal choice for modernizing your van interior. Enhance your RV's space with this practical, sophisticated solution for everyday device charging.

Available in



Range Electrical Info

Input Voltage	10-30V DC (12/24V System)
Input Current Max	6A (10A fuse recommended)
Standby Power Draw	0.01W

Important information

To maximize charge performance, use the cable supplied with your tablet, phone etc. (C to C, or C-lightning) Phones charge at the same speed on either a 12 or 24V system, but a 24V system must be used to get the full 60W output for increased charge speed with laptops.



Black Bezel Brushed Stainless Steel Bezel
SC-TILE-10 | SC-TILE-11

TILE - USB-A / USB-C Interiors Charging Socket 12/24V

Voltage 12V & 24V

Type A/C Dual USB Charger

Input Current Max 6A

Protocol QC & PD

USB-A (12V System)
5V / 9V / 12V = 3A Max

USB-C (24V System)
5V / 9V / 12V / 15V / 20V = 3A Max

Universal fit for any USB-C connectors

60W fast charge on 24V system USB-C only



Black Bezel Brushed Stainless Steel Bezel
SC-TILE-20 | SC-TILE-21

TILE - USB-C / USB-C Interiors Charging Socket 12/24V

Voltage 12 & 24V

Input Current Max 6A

Output 60W max on 24V system / 36W max on 12V system

Protocol QC & PD

USB-C (12V System)
5V / 9V / 12V = 3A Max

USB-C (24V System)
5V / 9V / 12V / 15V / 20V = 3A Max

Universal fit for any USB-C connectors

Fast charge (60W max) up to 2 devices at a time



Tile USB is FAST! It will charge at 36W on a 12V system or up to 60W on a 24V system. This makes it perfect for charging modern laptops and large tablets, phones and any other USB-C powered devices onboard.





Waterproof Wireless Charging

Fully encased and waterproof rated IPX6, this range of Waterproof Wireless chargers is here to bring powerful, charging, no matter the location or weather!

With options for single, triple-coil, and MagSafe-compatible technology, these Qi-certified chargers deliver seamless charging without cables, making them perfect for outdoor environments or creating a clutter-free interior.

This innovative series of products ensures your devices are always charged and ready to go.




IPX6 Waterproof



Wireless Charge



Marine-Grade Materials



Mount & Charge

Securely holds and wirelessly charges your phone even in the toughest outdoor conditions.

This series of chargers offers versatile mounting and installation options for wireless charging-enabled phones of all sizes from major brands, including Samsung and Apple; charging is possible through non-metallic, waterproof cases.



New +

SC-CW-14G

Ultra • Magnetic Charger - 12/24V

Qi-2 Certified

Mag Technology

Made from toughened glass

Surface Size 605mm x 605mm (2.38" x 2.38")

IP Rating IPX6

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 15W



SC-CW-14G

Active 15W

15W fast charging & Qi-certified

High friction grip

Single-handed docking

Self-aligning jaws keeps phone
in optimal charge position

Smart LED indicator

Foreign object detection

IP Rating IPX6

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 15W



SC-CW-05G

Edge 15W

15W fast charging & Qi certified

High friction grip

Rotate your phone through 90°

Switch up your phones viewing
angle on the move

Self-aligning jaws keeps phone
in optimal charge position

Smart LED indicator

Foreign object detection

IP Rating IPX6

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 15W



SC-CW-11F

Nano 10W

10W fast charging & Qi Certified

Mount & charge

Outdoor-ready grip

Single-handed docking

Small footprint

IP Rating IPX6

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 10W



IPX6 Waterproof



Wireless Charge



10W Output



Qi Certified



1 Coil

Smaller in dimensions, the single-coil chargers offer more installation flexibility. Allowing for optimal versatility when space is at a premium!

Waterproof rated to IPX6, and fully encased, this range of products is designed for the toughest and most extreme adventures!



SC-CW-01F

Hidden

IP Rating IPX6

10W fast charging

Sub-surface, hidden from view

Pocket or bond install

Ideal for GRP or wood

Allows for customer branding

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 10W



SC-CW-02F

Surface

IP Rating IPX6

10W fast Charging

Low-profile, flush-mounted
charge pad

Ultra grippy, non-slip surface

Designed to fit to any smooth surface

Contemporary look with
two-tone colour

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 10W



SC-CW-07F

Sub

IP Rating IPX6

10W fast charging

Designed with factory fit in mind

Seamlessly integrates into your
interior or exterior design

Bond underneath & wirelessly charge
through all non-metallic materials

Allows for custom branding

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A


Output Power Max 10W



3 Coil

Scanstrut 3 coil chargers are made with 3 overlapping coils, with intelligent charging, ensuring optimal charge, no matter the phone placement!

Waterproof rated to IPX6, and fully encased, this range of products is designed for the toughest and most extreme adventures!



SC-CW-1GT

Waterproof Wireless Charger

Hidden 3 Coil

IP Rating IPX6

15W fast charging

Sub-surface, hidden from view

Pocket or bond install

Ideal for GRP or wood

Allows for customer branding

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 15W



SC-CW-2GT

Waterproof Wireless Charger

Surface 3 Coil

IP Rating IPX6

15W fast charging

Low-profile, flush-mounted charge pad

Ultra grippy, non-slip surface


Designed to fit to any smooth surface

Contemporary look with
two-tone colour

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 15W



SC-CW-7GT

Waterproof Wireless Charger

Sub 3 Coil

IP Rating IPX6

15W fast charging

Low-profile, flush-mounted
charge pad

Ultra grippy, non-slip surface

Designed to fit to any smooth surface

Contemporary look with
two-tone colour

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 15W



IPX5 - IPX6 Waterproof



Wireless Charge



15W Output



12/24V Charge



3 Coil Store & Charge

Safely houses & wirelessly charges your phone with the 3 overlapping charging coils. Designed to maximize performance and ensure reliable charging from various phone placements. Perfect for integration into overhead lockers, seating, cabinetry, and more!

Simply slide your phone into the pocket and instantly start wirelessly charging.

What is a 3-Coil Charger?

A charger with 3 overlapping coils maximizes efficiency and power, ensuring reliable outdoor waterproof charging while easily finding the sweet spot for any phone position.



SC-CW-6GT

Nest 15W 3 Coil

IP Rating IPX6

12/24V

15W fast charging

Three overlapping charging coils maximize phone charging area

Safely houses & wirelessly charges your phone

Perfect for integration into consoles, seating, cabinetry and more!


Perfect for storing other personal items

Rounded corners and tapered front design eliminate all snagging risks

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 15W



SC-CW-10GT

Cove LED 15W 3 Coil

SC-CW-9GT

Cove 15W 3 Coil

Safely house & wirelessly charges your phone at the same time. Now you can keep your phone in a safe place onboard, tucked away, charged and ready to go. No alignment is needed, throw your phone into the charger and your phone will always charge!

IP Rating

SC-CW-10GT IPX5 | SC-CW-9GT IPX6

12/24V

15W fast charging

Three overlapping charging coils maximize phone charging area

Reverse polarity protection

Uninterrupted charging during outdoor adventures

Rear installation light, for testing power & correct wiring

LED light acts as a quick visual guide to show phone is charging

Simple one-cut installation

Input Voltage 10-30V DC
(12/24V System)

Input Current Max 2A

Output Power Max 15W



Quick Fit



Quick Release



Marine-Grade Materials



Mounts tablets, phones
& projectors



Multiple Base Options



ROKK Mini

Available in



ROKK Mini is a compact and multi-adjustable mounting system for smartphones, tablets, projectors, cameras and more! Small in size but big on features, ROKK mini is the most durable and reliable mount for your onboard tech.



Complete install kits

RLS-508-401

**ROKK Mini Tablet Mount kit
with Screw Down Base**

RLS-508-404

**ROKK Mini Tablet Mount kit
with Self-Adhesive Base**

RLS-508-405

**ROKK Mini Tablet Mount kit
with Suction Cup Base**

MOUNT

Accessories

TOP



RL-508

Tablet Clamp



RL-509

Phone Clamp



RL-511

**1/4" Camera /
Projector Plate**



BASE



RLS-401

Screw Down Base



RLS-404

Adhesive Base



RLS-405

Suction Cup Base



BODY



RLS-AM

Adjustable Body

To view full range visit scanstrut.com

For sales inquiries contact: **Scanstrut HQ** sales@scanstrut.com +44 (0) 1392 531280 **Scanstrut USA** usasales@scanstrut.com +1 860 308 1416

Keep in touch

For all the latest from Scanstrut sign up to our mailing list or follow us on Instagram, Facebook or LinkedIn for product features, articles, new releases and more.

We love to see Scanstrut products in the wild so don't forget to tag us in your photos and videos.

Follow on
Instagram



Follow on
Facebook



Follow on
LinkedIn



Contact

Scanstrut HQ

sales@scanstrut.com

+44 (0)1392 531280

Scanstrut USA

usasales@scanstrut.com

+1 860 308 1416

Become a Partner

Whether you're a parts reseller, converter, or OEM and believe our products can enhance your offerings or business, we'd love to hear from you!

- OEM customization available
- Marketing support
- In-house design team ready to assist with integration
- ISO 9001 certified for quality assurance
- Custom OEM pricing
- Dedicated support

SCANSTRUT®

scanstrut.com